



「 **ANSI B56.1** 」  
「 CONFORMITY 」

## TIRED OF TWISTED FORK EXTENSIONS? GO FOR QUALITY **FORK EXTENSIONS**, HEAVY-DUTY!


Extensions are the ideal solution when occasionally transporting loads that are longer than the forks of the available industrial truck. They can be installed quickly and conveniently by sliding them over the existing forks. They are securely locked in place using a locking pin that fits behind the fork shank. All fork extensions conform to ISO 13284

### BENEFITS:

- ▶ Solid welded design
- ▶ Open bottom
- ▶ Tip tapered and chamfered
- ▶ Removable locking pin

### HOW TO SELECT FORK EXTENSIONS?

- ▶ To carry uniform loads no longer than the fork extension length
- ▶ The fork extension should not be longer than 150% of the supporting fork length
- ▶ The rated capacity and load center of the industrial truck must be guaranteed
- ▶ The load capacity of the fork extension must be adjusted to the particular fork



## GOOD REASONS TO CHOOSE QUALITY FORK EXTENSIONS BY VETTER

<b>BENEFIT 1</b>	Solid welded construction (versus common bent profiles)		
	▶ <b>Safe and stable positioning onto the fork</b>		
<b>BENEFIT 2</b>	Made from solid, strong sheet metal. For static reasons, the lateral sheets are extra thick.		
	▶ <b>Maximum strength</b>		
<b>BENEFIT 3</b>	Tip of the extension tapered and chamfered		
	▶ <b>Rapid and convenient loading of pallets, a.s.o.</b>		
<b>BENEFIT 4</b>	Removable locking bolt		
	▶ <b>Easy, quick and energy-saving assembly</b>		
<b>BENEFIT 5</b>	Including type plate and operation manual		
	▶ <b>Long-term traceability and safety feature</b>		

## FORKEXTENSIONS: TECHNICAL DATA

Part-No.	Fork width (inches)	Extension length (inches)	Weight (lbs / pce.)	Outer dimension (inches)
GVO-0001-US	4	60	51.2	1.8 x 5.5
GVO-0002-US	4	72	61.5	1.8 x 5.5
GVO-0003-US	4	84	71.5	1.8 x 5.5
GVO-0004-US	4	96	82.2	1.8 x 5.5
GVO-0005-US	5	60	79.2	2.1 x 6.9
GVO-0006-US	5	72	95.5	2.1 x 6.9
GVO-0007-US	5	84	111.4	2.1 x 6.9
GVO-0008-US	5	96	127.9	2.1 x 6.9
GVO-0009-US	6	60	100.3	3 x 7.9
GVO-00010-US	6	72	154.1	3 x 7.9
GVO-00011-US	6	84	179.7	3 x 7.9
GVO-00012-US	6	96	206.4	3 x 7.9

Further dimensionson request!